

DECLARATION OF PERFORMANCE

No.: 406

1. Unique identification code of the product type

Flügger Wood Seal

+ Item number and batch number on the package

2. Intended uses

Sealing of internal facade elements in accordance with EN 15651-1:2017, Type F-EXT-INT (class 12,5)

"Sealants for non-structural use in joints in buildings and pedestrian walkways -

Part 1: Sealants for facade elements"

3. Manufacturer

Flügger Denmark A/S, Islevdalvej 151, 2610 Rødovre. www.flugger.dk

4. System for continuous monitoring of the performance of the construction product

System 4

5. Certificates

Sveriges Tekniska Forskningsinstitut AB (NB 0402) has issued the following reports where reaction to fire tests according to System 4 has been evaluated:

SP Rapport 4P02024 - "Ignitability according to EN ISO 11925-2".

SP Rapport 4P02024-1 - "Reaction to fire classification report".

6. Declared performances

EN 15651-1:2017, Type F-EXT-INT					
Reaction to fire EN 13501-1	Resistance to flow EN ISO 7390	Loss of volume EN ISO 10563	Elongation at break EN ISO 8339	Elastic recovery EN ISO 7389	Release of dangerous substances
E	≤ 5 mm	≤ 45%	≥ 25%	≥ 40%	NPD

7. The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Charlotte Praest Moeller

Position: Regulatory Affairs Manager

At: Rødovre

Dato: 28-09-2020

Signature: 