Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

SAFETY DATA SHEET

| SECTION 1: Identific undertaking | cation of the substance/mixture and of the company/ |
|---|--|
| 1.1 Product identifier | |
| Trade name | : White Spirit Low Odour |
| 1.2 Relevant identified uses | of the substance or mixture and uses advised against |
| Identified uses | : Thinner |
| 1.3 Details of the supplier of | f the safety data sheet |
| Flügger Denmark A/S Islevdalvej 151 DK-2610 Rødovre Tlf. +45 76 30 33 80 | |
| e-mail address of person responsible for this SDS | : info@intercolor.dk |
| 1.4 Emergency telephone n | umber |
| National advisory body/Po | ison Centre |
| Telephone number | : Call a poison center or physician. |
| SECTION 2: Hazards | s identification |
| 2.1 Classification of the sub | stance or mixture |
| Product definition | : Mixture |
| Classification according to | Regulation (EC) No. 1272/2008 [CLP/GHS] |
| Asp. Tox. 1, H304 Aquatic Chronic 3, H412 | |
| The product is classified as I | nazardous according to Regulation (EC) 1272/2008 as amended. |
| See Section 16 for the full te | xt of the H statements declared above. |
| See Section 11 for more det | ailed information on health effects and symptoms. |
| 2.2 Label elements | |
| Hazard pictograms | · · • |



| Signal word | : Danger | | |
|--------------------------------|---|--|--|
| Hazard statements | H304 - May be fatal if swallowed and enters airways. H412 - Harmful to aquatic life with long lasting effects. | | |
| Precautionary statement | <u>s</u> | | |
| General | P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. | | |
| Prevention | P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 - Avoid release to the environment. | | |
| Response | P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. P331 - Do NOT induce vomiting. | | |
| Storage | : | | |
| Disposal | : P501 - Dispose of contents/container to an approved waste disposal plant. | | |
| Contains | : Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2 % aromatics | | |
| Date of issue/Date of revision | : 30-11-2022 Date of previous issue : No previous validation Version : 1 1/12 | | |

| Supplemental label elements | Repeated exposure may cause skin dryness or cracking. |
|---|---|
| Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles | : Not applicable. |
| Special packaging requirem | <u>ents</u> |
| Containers to be fitted with child-resistant fastenings | : Yes, applicable. |
| Tactile warning of danger | : Yes, applicable. |
| 2.3 Other hazards | |
| Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII | : This mixture does not contain any substances that are assessed to be a PBT or a vPvB. |
| Other hazards which do not result in classification | : None known. |

SECTION 3: Composition/information on ingredients

| 3.2 Mixtures | : Mixture | | | | | |
|---|---|-----|---|---|------|--|
| Product/ingredient name | Identifiers | % | Classification | Specific Conc. Limits, M-factors and ATEs | Туре | |
| Hydrocarbons, C10-C13, n- alkanes, isoalkanes, cyclics, < 2 % aromatics | | ≥90 | Asp. Tox. 1, H304 EUH066 | EUH066: C ≥ 20% | [1] | |
| Hydrocarbons, C10, aromatics, < 1 % naphthalene | REACH #: 01-2119463583-34 EC: 918-811-1 CAS: - | ≤10 | STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 EUH066 See Section 16 for the full text of the H statements declared above. | EUH066: C ≥ 20% | [1] | |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830

White Spirit Low Odour

SECTION 4: First aid measures

| 4.1 Description of first aid n | neasures |
|--------------------------------|---|
| Eye contact | : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. |
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Skin contact | : Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

| Eye contact Inhalation | No specific data.No specific data. |
|---------------------------|--|
| Skin contact | : Adverse symptoms may include the following: irritation dryness cracking |
| Ingestion | : Adverse symptoms may include the following: nausea or vomiting |

4.3 Indication of any immediate medical attention and special treatment needed

| Notes to physician | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
|---------------------|---|
| Specific treatments | : No specific treatment. |

SECTION 5: Firefighting measures

| 5.1 Extinguishing media Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. |
|--|---|
| Unsuitable extinguishing media | : None known. |

5.2 Special hazards arising from the substance or mixture

Hazards from the : In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water substance or mixture contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

| SECTION 5: Firefighting measures | |
|----------------------------------|--|
|----------------------------------|--|

| Hazardous combustion | : No specific data. |
|----------------------|---------------------|
| products | |

5.3 Advice for firefighters

| Special protective actions for fire-fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|---|---|---|
| Special protective equipment for fire-fighters | : | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
|--------------------------------|----|---|
| For emergency responders | : | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| 6.2 Environmental precautions | : | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. |
| 6.3 Methods and material for | со | ntainment and cleaning up |
| Small spill | : | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : | Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. |

| 6.4 Reference to other | 1 | See Section 1 for emergency contact information. |
|------------------------|---|---|
| sections | | See Section 8 for information on appropriate personal protective equipment. |
| | | See Section 13 for additional waste treatment information. |

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

| Protective measures | : Put on appropriate personal protective Avoid contact with eyes, skin and close release to the environment. Keep in alternative made from a compatible Empty containers retain product resi container. | thing. Avoid breathing va the original container or material, kept tightly close | apour or n an approv ed when n | nist. Av ed ot in use | oid |
|--------------------------------|--|--|--------------------------------------|-----------------------------|------|
| Date of issue/Date of revision | : 30-11-2022 Date of previous issue | : No previous validation | Version | :1 | 4/12 |

SECTION 7: Handling and storage

| Advice on general | : Eating, drinking and smoking should be prohibited in areas where this material is |
|----------------------|---|
| occupational hygiene | handled, stored and processed. Workers should wash hands and face before |
| | eating, drinking and smoking. Remove contaminated clothing and protective |
| | equipment before entering eating areas. See also Section 8 for additional |
| | information on hygiene measures. |

7.2 Conditions for safe storage, including any incompatibilities

Store between the following temperatures: 0 to 40°C (32 to 104°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations

solutions

: Not available.

Industrial sector specific

: Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Biological exposure indices

No exposure indices known.

| Recommended monitoring procedures | : Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required. |
|-----------------------------------|--|
|-----------------------------------|--|

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering : controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical products,
before eating, smoking and using the lavatory and at the end of the working period.
Appropriate techniques should be used to remove potentially contaminated clothing.
Wash contaminated clothing before reusing. Ensure that eyewash stations and
safety showers are close to the workstation location.

5/12

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830

White Spirit Low Odour

SECTION 8: Exposure controls/personal protection

| Eye/face protection | : | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Wear safety glasses with side protection in accordance with EN 166. |
|---------------------------------|---|--|
| Skin protection | | |
| Hand protection | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. > 8 hours (breakthrough time): Wear suitable gloves tested to EN 374. Nitrile gloves. |
| Body protection | : | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Wear suitable protective clothing that is EN-approved type 6 and Category III. |
| Other skin protection | : | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : | Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: organic vapour filter (Type A) Class 1 Brown. |
| Environmental exposure controls | : | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

| <u>Appearance</u> | |
|--|--------------------------------|
| Physical state | : Liquid. |
| Colour | : Colourless. |
| Odour | : Characteristic. |
| Odour threshold | : Not available. |
| Melting point/freezing point | : Not available. |
| Initial boiling point and boiling range | : 160 to 245°C (320 to 473°F) |
| Flammability | : Not available. |
| Lower and upper explosion limit | : Lower: 0,6% Upper: 7% |
| Flash point | : Closed cup: >61°C (>141,8°F) |
| Auto-ignition temperature | : >200°C (>392°F) |
| Decomposition temperature | : Not available. |
| рН | : Not available. |
| Viscosity | : Kinematic (40°C): 1,3 mm²/s |
| Solubility in water | : Not available. |
| Miscible with water | : No. |
| Partition coefficient: n-octanol/ water | : Not applicable. |

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830

White Spirit Low Odour

SECTION 9: Physical and chemical properties

| Vapour pressure | : Not available. |
|--------------------------|-----------------------|
| Evaporation rate | : Not available. |
| Density | : 1 g/cm ³ |
| Vapour density | : Not available. |
| Explosive properties | : Not available. |
| Oxidising properties | : Not available. |
| Particle characteristics | |
| Median particle size | : Not applicable. |

SECTION 10: Stability and reactivity

| 10.1 Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|--|--|
| 10.2 Chemical stability | : The product is stable. |
| 10.3 Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| 10.4 Conditions to avoid | : No specific data. |
| 10.5 Incompatible materials | : No specific data. |
| 10.6 Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

SECTION 11: Toxicological information

| 11.1 Information on hazard of | lasses as defined in Regula | tion (EC) No 1272 | /2008 | |
|-------------------------------|------------------------------------|-------------------|----------|---------------|
| Acute toxicity | | | | |
| Conclusion/Summary | : Not available. | | | |
| Acute toxicity estimates | | | | |
| N/A | | | | |
| Irritation/Corrosion | | | | |
| Conclusion/Summary | : Not available. | | | |
| Sensitisation | | | | |
| Conclusion/Summary | : Not available. | | | |
| Mutagenicity | | | | |
| Conclusion/Summary | : Not available. | | | |
| Carcinogenicity | | | | |
| Conclusion/Summary | : Not available. | | | |
| Reproductive toxicity | | | | |
| Conclusion/Summary | : Not available. | | | |
| Teratogenicity | | | | |
| Conclusion/Summary | : Not available. | | | |
| Specific target organ toxicit | t <mark>y (single exposure)</mark> | | | |
| Product/ing | redient name | Category | Route of | Target organs |

| | | exposure | |
|---|------------|----------|------------------|
| Hydrocarbons, C10, aromatics, < 1 % naphthalene | Category 3 | - | Narcotic effects |

Specific target organ toxicity (repeated exposure)

SECTION 11: Toxicological information

Not available.

Aspiration hazard

| Product/ingredient name | Result |
|--|--------------------------------|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2 % aromatics | ASPIRATION HAZARD - Category 1 |
| Hydrocarbons, C10, aromatics, < 1 % naphthalene | ASPIRATION HAZARD - Category 1 |

Information on likely routes : Not available. of exposure

| Symptoms related to t | he physical, chemical and toxicological characteristics |
|-----------------------|--|
| Eye contact | : No specific data. |
| Inhalation | : No specific data. |
| Skin contact | : Adverse symptoms may include the following: irritation dryness cracking |
| Ingestion | Adverse symptoms may include the following: nausea or vomiting |

Delayed and immediate effects as well as chronic effects from short and long-term exposure Short term exposure **Potential immediate** : Not available. effects **Potential delayed effects** : Not available. Long term exposure **Potential immediate** : Not available. effects **Potential delayed effects** : Not available. Potential chronic health effects Not available. **Conclusion/Summary** : Not available. General Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/ ÷. or dermatitis. Carcinogenicity : No known significant effects or critical hazards. : No known significant effects or critical hazards. **Mutagenicity Reproductive toxicity** : No known significant effects or critical hazards.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Not available.11.2.2 Other information Not available.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830

White Spirit Low Odour

SECTION 12: Ecological information

12.1 Toxicity

Conclusion/Summary : Not available.

12.2 Persistence and degradability

| Product/ingredient name | Test | Result | | Dose | Inoculum |
|--|---|---------------------|------------|------|--------------------|
| Hydrocarbons, C10-C13, n- alkanes, isoalkanes, cyclics, < 2 % aromatics | EU 301F Ready Biodegradability - Manometric Respirometry Test | 80 % - Readily - 28 | days | - | - |
| Conclusion/Summary | : Not available. | | | · | |
| Product/ingredient name | Aquatic half-life | | Photolysis | S | Biodegradability |
| Hydrocarbons, C10-C13, n- alkanes, isoalkanes, cyclics, < 2 % aromatics Hydrocarbons, C10, aromatics, < 1 % naphthalene | - | | - | | Readily Readily |

12.3 Bioaccumulative potential

Not available.

| 12.4 Mobility in soil | |
|---|------------------|
| Soil/water partition coefficient (Koc) | : Not available. |
| Mobility | : Not available. |

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

| Product | |
|-----------------------|---|
| Methods of disposal | : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. |
| Hazardous waste | : Yes. |
| European waste catalo | gue (EWC) |

SECTION 13: Disposal considerations

| | • | |
|-------|------------------|---|
| | Waste code | Waste designation |
| 14 C | 06 03* | other solvents and solvent mixtures |
| Packa | aging | |
| Meth | nods of disposal | : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. |
| Speci | al precautions | : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. |

SECTION 14: Transport information

| | | | - |
|-------------------------------------|----------------|----------------|----------------|
| | ADR/RID | IMDG | ΙΑΤΑ |
| 14.1 UN number or ID number | Not regulated. | Not regulated. | Not regulated. |
| 14.2 UN proper shipping name | Not regulated. | Not regulated. | Not regulated. |
| 14.3 Transport hazard class (es) | Not regulated. | Not regulated. | Not regulated. |
| 14.4 Packing group | - | - | - |
| 14.5 Environmental hazards | No. | No. | No. |

14.6 Special precautions for user: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in : Not available. **bulk according to IMO**

instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable. on the manufacture,

placing on the market and use of certain

dangerous substances,

mixtures and articles

Other EU regulations

SE

| SECTION 15: Regulatory information |
|--|
| Industrial emissions : Not listed (integrated pollution prevention and control) - Air |
| Industrial emissions : Not listed (integrated pollution prevention and control) - Water |
| Ozone depleting substances (1005/2009/EU) Not listed. |
| Prior Informed Consent (PIC) (649/2012/EU) Not listed. |
| Persistent Organic Pollutants Not listed. |
| Seveso Directive |
| This product is not controlled under the Seveso Directive. |
| Detergent regulation |
| Annex VIIA - Labelling for Contents >30%: aliphatic hydrocarbons. 5% - 15%: aromatic hydrocarbons. |
| Annex VIID - Publication of list of ingredients Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2 % aromatics, HYDROCARBONS, C10, AROMATICS, <1% NAPHTHALENE. |
| National regulations |
| International regulations |
| Chemical Weapon Convention List Schedules I, II & III Chemicals |
| Not listed. |
| Montreal Protocol |
| Not listed. |

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

| 15.2 Chemical safety | 1 | Chemical Safety Assessments for all substances in this product are either Complete |
|----------------------|---|--|
| assessment | | or Not applicable. |

SECTION 16: Other information

Indicates information that has changed from previously issued version.

| Abbreviations and | : ATE = Acute Toxicity Estimate |
|-------------------|--|
| acronyms | CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] |
| | DMEL = Derived Minimal Effect Level |
| | DNEL = Derived No Effect Level |
| | EUH statement = CLP-specific Hazard statement |
| | N/A = Not available |
| | PBT = Persistent, Bioaccumulative and Toxic |
| | PNEC = Predicted No Effect Concentration |
| | RRN = REACH Registration Number |
| | |

| SECTION 16: Other information | |
|--------------------------------------|--|
|--------------------------------------|--|

SGG = Segregation Group

vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

| Classification | Justification |
|-------------------------|--------------------|
| Asp. Tox. 1, H304 | Calculation method |
| Aquatic Chronic 3, H412 | Calculation method |

Full text of abbreviated H statements

| H304 | May be fatal if swallowed and enters airways. |
|--------|---|
| H336 | May cause drowsiness or dizziness. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |

Full text of classifications [CLP/GHS]

| Aquatic Chronic 2 Aquatic Chronic 3 Asp. Tox. 1 STOT SE 3 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3 ASPIRATION HAZARD - Category 1 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 3 |
|--|---|
| Product code | : |
| Date of printing | : 06-06-2023 |
| Date of issue/ Date of revision | : 30-11-2022 |
| Date of previous issue | No previous validation |
| Version | : 1 |
| | |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.